



Test
TS EN ISO/IEC 17025
AB-0716-T

AB-0716-T

TURT260002983

01-26

TEST REPORT

Page 1 of 4

REPORT NUMBER : TURT260002983
APPLICANT NAME : Ticaret Bakanlığı İstanbul Gümrük ve Dış Ticaret Bölge Müdürlüğü –
İstanbul Ürün Güvenliği Denetimleri Müdürlüğü-1 (Avrupa)
ADDRESS : Çobançeşme Mevkii Sanayi Cad.Dış Ticaret Kompleksi D Blok
Yenibosna/Bahçelievler/İstanbul
TEL:0212 454 08 26FAX:0212 454 08 27
Attention : İstanbulgrup
SAMPLE DESCRIPTION : One sample of Red dress
DATE IN : 12 January ,2026
RESUBMIT DATE : 21 January ,2026
DATE OUT : 23 January ,2026
IMPORTER : OZAN IŞIK
NUMBER : E-98552271-554.01.01-00117697165
MODEL NO : KP11572
SUBJECT : A26395252
STAMP NO : 23-603432/33



Customer Care Executive



Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
Merkez Mahallesi Sanayi Cad. No.23 Altındag Plaza Yenibosna-34197 /İSTANBUL
Phone : +90 212 496 46 46 **Fax:** +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
http://www.intertek-turkey.com



260002983

TEST REPORT

REPORT : TURT260002983

Page 2 of 4

TEST	SAMPLE
Determination of Certain Aromatic Amines Derived from Azo Colorants	1
Azo Dyes - Leather	P
	NA

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / MA = MINIMUM AMOUNT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory. Intertek accredited by TÜRKAK under registration number (AB-0716-T) for (TS EN ISO IEC 17025) as test laboratory. Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

RESULTS
REPORT :TURT260002983

Page 3 of 4
23 January ,2026

Test Method	Results	Requirements
-------------	---------	--------------

Determination of Certain Aromatic Amines Derived from Azo Colorants

EN ISO 14362-1 determined by GC-MS, HPLC-MS

By Gas Chromatographic - Mass Spectrometric (GC-MS)

1-Composite sample of Red main, red thread, red zipper tape (with extraction)

<30 ppm

		RESULTS
FORBIDDEN AMINE	CAS NO	1
4-AMINOBIIPHENYL	92-67-1	N
BENZIDINE	92-87-5	N
CHLORO-O-4-CHLOR-O-TOLUIDINE	95-69-2	N
2-NAPHTHYLAMINE	91-59-8	N
*O-AMINOAZOTOLUENE	97-56-3	N
*2-AMINO-4-NITROTOLUENE	99-55-8	N
P-CHLOROANILINE	106-47-8	N
2,4-DIAMINOANISOLE	615-05-4	N
4,4'-DIAMINOBIIPHENYLMETHANE	101-77-9	N
3,3'-DICHLOBENZIDINE	91-94-1	N
3,3'-DIMETHOXYBENZIDINE	119-90-4	N
3,3'-DIMETHYLBENZIDINE	119-93-7	N
3,3'-DIMETHYL-4,4' DIAMINOBIIPHENYLMETHANE	838-88-0	N
P-CRESIDINE	120-71-8	N
4,4'-METHYLENE-BIS-(2 CHLOROANILINE)	101-14-4	N
4,4'-OXYDIANILINE	101-80-4	N
4,4'-THIODIANILINE	139-65-1	N
O-TOLUIDINE	95-53-4	N
2,4-TOLUENEDIAMINE	95-80-7	N
2,4,5-TRIMETHYLANILINE	137-17-7	N
O-ANISIDINE	90-04-0	N
**P-AMINOAZOBENZENE	60-09-3	N

Note:

1)The amines o-amino-azotoluene and 2-amino-4-nitrotoluene are detected by its splitted product o-toluidine and 2,4- toluenediamine.

2)Azo colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4- phenyldiamine . The presence of these colorants can not be reliably ascertained without additional information, e.g. chemical structure of the colorant used.

3)According to ISO 14362-1:2017, separate test is suggested to ascertain the compliance for result of mixed test in the range between 5 ppm and 30 ppm.

4)Azocolourants Content Requirement In Annex XVII Item 43 Of The REACH Regulation (EC) NO. 1907/2006 & Amendment No. 552/2009 and 126/2013 (Formerly Known As Directive 2002/61/EC

5) According to the official method ISO 14362-1:2017, if 4-Aminodiphenyl or 2-Naphthylamine or 2,4-Diaminoanisole is found exceeding requirement, the use of forbidden Azo colourants cannot be ascertained without additional information e.g. The chemical structure of the colourant used.

ppm : part per million (mg/kg) Detection Limit: 5 ppm < = Less Than N: Not Detected NC : No Comment

Estimated Total Uncertainty=(Textile: ±17% Polyester: ±16%)

Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone : +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail : intertekcg.turkiye@intertek.com

http://www.intertek-turkey.com

RESULTS

REPORT :TURT260002983

Page 4 of 4

23 January ,2026

BAKANLIK



END OF TEST REPORT