



**BUREAU
VERITAS**

**BV CPS TEST LABORATUVARLARI LTD. STI.
BUREAU VERITAS CONSUMER PRODUCTS
SERVICES**

Yalcin Kores Cad. No:22 Erdinc Binalari
A Blok 1.Kule 1.Kat 34209 Gunesli, Istanbul / Turkey
Tel:+90.212.494 35 35 Fax:+90.212.494 35 60
email:info.turkey@bvcps.com.tr
website: www.bureauveritas.com/cps



Test
TS EN ISO/IEC 17025
AB-0505-T

AB-0505-T

72260370100

02-26

TEST REPORT

LAB LOCATION: TURKEY

SERVICE TYPE: Regular

LAB NO: (7226)037-0100

THE DATE OF RECEIPT OF TEST ITEM: February 06, 2026

START DATE FOR TESTING: February 06, 2026

DATE END OF TEST: February 17, 2026

RE-SUB.DATE: February 19, 2026

NUMBER OF WORKING DAYS: 8.0

MATERIAL SUBMITTED

: TC TİCARET BAKANLIĞI İSTANBUL GÜMRÜK VE DIŞ
TİCARET BÖLGE MÜDÜRLÜĞÜ İSTANBUL ÜRÜN
GÜVENLİĞİ DENETİMLERİ GRUP BASKANLIĞI(Avrupa)
(Attn: [REDACTED])

IMPORTER COMPANY

: OZAN ISIK BMD TEKSTİL
(VKN: 18949844524)

COVER LETTER NO

: E-98552271-554.01.01-00118646088

SUPPLIER REFERENCE

: /

MODEL NO

: 20213

APPLICATION NO

: A26423337

BRAND NAME

: /

BUYER

: /

COUNTRY OF ORIGIN

: /

SAMPLE DESCRIPTION

: GLOVE

COLOR

: BLACK

GENERAL CONCLUSION

: PASS



Date Out
(19/02/2026)



Client Team Lead



Deputy General Manager Operation
(19/02/2026)

C/N ET/SD

BV CPS Test Laboratuvarları Ltd. Sti. accredited by TÜRKAK under registration number AB-0505-T for TS EN ISO/IEC 17025:2017 as test laboratory.

Turkish Accreditation Agency (TÜRKAK) is a signatory to the European co-operation for Accreditation (EA) Multilateral Agreement (MLA) and to the International Laboratory Accreditation Cooperation (ILAC) Mutual Recognition Arrangement (MRA) for the recognition of test reports.

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. The test and/or measurement results, the uncertainties (if applicable) with confidence probability and test methods are given on the following pages which are part of this report. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from the date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Testing reports without signature are not valid. BV CPS Test Laboratories is not responsible for deviations for the accuracy of the information provided by the customer that may affect the validity of the test results. Test results given in this test report represent only the sample(s) delivered to the laboratory, as sent to BV CPS Test Laboratories by the client/vendor via courier, cargo and/or manual delivery. No sampling is performed by BV CPS Test Laboratories.

SUMMARY OF TEST RESULTS

SUMMARY OF TEST RESULTS			
TEST PERFORMED	PASS	FAIL	DATA
Azo-amines and Arylamine salts*	X		
Dimethylfumarate (DMFu)*	X		
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs), including all isomers*	X		
Flame Retardants*	X		
Organotin Compounds*	X		
Total Cadmium*	N/A (See Remark 3)		
Nickel Release*	N/A (See Remark 4)		
* TURKAK Accredited- See Appendix A			

REMARKS

1	:	P: Pass, F: Fail, DATA: No Evaluation, N/A: Not Applicable
2	:	*The reported expanded uncertainty is based on the standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%. Unless otherwise is specified, the uncertainty of measurement has not been taken into account when assessing pass/fail of the sample against the requirements of the standard. In case consideration of measurement uncertainties when assessing pass/ fail limits, some results may be in borderline. Information on uncertainty is contained in appendix A on this report.
3	:	Total Cadmium test could not be performed because there is no suitable materials.
4	:	Nickel Release test is applicable to the metal material. This test could not be performed because there is no metal material in contact with the skin for a long time.

COMPONENT LIST / LIST OF MATERIALS

COMPONENT	DESCRIPTION	COMPOSITION
I001	Black Lace Base (With Extraction)	/

ORIGINAL
(SAMPLE IMAGE)



TEST RESULT

Azo-amines and Arylamine salts

Test Method I : EN ISO 14362-1:2017

Test Method II : ISO 17234-1:2015

Test Method III : EN ISO 14362-3:2017 (For textile)/ ISO 17234-2:2011 (For leather)
Quantification analysis by GC-MS and confirmation by LC-DAD.

Maximum Limit:	≤ 30 mg/kg				
Tested Item(s)	Test Method	Result			Conclusion
		Detected Analyte(s)	Conc.	Unit	
I001	I	/	ND	mg/kg	PASS

Note:

ND = Not detected

mg/kg = milligram(s) per kilogram

10 000 mg/kg = 1 %

Detection Limit (mg/kg) - 5 each

“>” = Greater than

mg/kg = ppm = part(s) per million

% = percent

Conc. = Concentration

- The list of Azo-amines and Aryl Amine salts is summarized in table of Appendix.

TEST RESULTS

DIMETHYLFUMARATE (DMFU)	
Test Method I:	All materials: ISO 16186:2021 / ISO/TS 16186 and DIN EN 17130
	Quantification analysis by GC-MS

Requirement:	0,1 mg/kg
---------------------	------------------

Tested Item(s)	Result	Unit	Conclusion
I001	ND	mg/kg	PASS

Remark(s):	
1.	ND = Not detected ">" = Greater than Conc. = Concentration % = percent mg/kg = ppm = part(s) per million mg/kg = milligram(s) per kilogram 10 000 mg/kg = 1 %
2.	Reporting Limit = 0.03 mg/kg

TEST RESULTS

ORGANOTIN COMPOUNDS	
Test Method I:	All materials: CEN ISO/TS 16179:2012 or EN ISO 22744-1:2020 / DIN 38407-13 Mod ISO 17353 Quantification analysis by GC-MS

Requirement:	1000 mg/kg
---------------------	-------------------

Tested Item(s)	Result		Unit	Conclusion
	Detected Analyte(s)	Concentration		
I001	/	ND	mg/kg	PASS

Remark(s):	
1.	ND = Not detected "≤" = Equal and Less than ">" = Greater than mg/kg = milligram(s) per kilogram
2.	Reporting Limit = 0.05 mg/kg (each)
3.	The list of Organotin Compounds is summarized in table of Appendix.

TEST RESULTS

<u>ALKYLPHENOL (AP) AND ALKYLPHENOL ETHOXYLATES (APEOS), INCLUDING ALL ISOMERS</u>	
Test Method I:	Textiles and Leather: EN ISO 21084:2019 Polymers and all other materials: 1 g sample/20 mL THF, sonication for 60 minutes at 70 degrees C, analysis according to EN ISO 21084:2019
Test Method II:	All materials except Leather: EN ISO 18254-1:2016 with determination of APEO using LC/MS or LC/MS/MS

Requirement:	100 mg/kg
---------------------	------------------

Tested Item(s)	Result		Unit	Conclusion
	Detected Analyte(s)	Concentration		
I001	/	ND	mg/kg	PASS

Remark(s):	
1.	ND = Not detected mg/kg = milligram(s) per kilogram 10 000 mg/kg = 1 %
2.	Reporting Limit = Each (NP) 5; (NPEO) 30
3.	The list of Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs), including all isomers is summarized in table of Appendix.

TEST RESULTS

FLAME RETARDANTS	
Test Method:	EN ISO 17881-1: 2016 / EN ISO 17881-2: 2016 Solvent extraction and analysis by Gas Chromatograph Mass Spectrometer (GC-MS)

Requirement:	Octabromodiphenyl ether: 1000 mg/kg Tris-(Aziridinyl) Phosphate (TEPA)& Tris (2,3-Dibromopropyl) Phosphate (TRIS): Not Detected PBB: Not Detected
---------------------	--

Tested Item(s)	Result		Unit	Conclusion
	Detected Analyte(s)	Concentration		
I001	/	ND	mg/kg	PASS

Remark(s):	
1.	ND = Not detected "≤" = Equal and Less than ">" = Greater than mg/kg = milligram(s) per kilogram
2.	Reporting Limit = 5 mg/kg (each)
3.	The list of Flame Retardants is summarized in table of Appendix.

APPENDIX A

Test Name	Clause No.	Measurement Uncertainty
Dimethylfumarate (DMFu)	CPSD-AN-00647-MTHD	±16.25%
Azo-amines and Arylamine salts	EN ISO 14362-1	± 21.04%
Organotin Compounds	ISO 16179, ISO 22744 1	± 26.00 %
Alkylphenols (APs) and Alkylphenol Ethoxylates (APEOs) including all isomers	EN ISO 18254	± % 11.31
Flame Retardants	EN ISO 17881-1 EN ISO 17881-2	±18.19% ±13.03%

APPENDIX

LIST OF AZO-AMINES AND ARYLAMINE SALTS:

No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	4-Aminodiphenyl	92-67-1	12	3,3'-Dimethylbenzidine (4,4'-Bi-o-tolidine)	119-93-7
2	Benzidine	92-87-5	13	4,4'-Methylenedi-o-tolidine (3,3'-Dimethyl- 4,4'-diaminodiphenylmethane)	838-88-0
3	4-Chloro-o-tolidine	95-69-2	14	4,4'-Methylene-bis-(2- chloroaniline)	101-14-4
4	2-Naphthylamine	91-59-8	15	4,4'-Oxydianiline	101-80-4
5	o-Aminoazotoluene	97-56-3	16	4,4'-Thiodianiline	139-65-1
6	5-nitro-o-tolidine (2-Amino-4-nitrotoluene)	99-55-8	17	o-Tolidine	95-53-4
7	4-Chloroaniline (p-Chloroaniline)	106-47-8	18	4-Methyl-m-phenylenediamine (2,4-Toluenediamine)	95-80-7
8	4-Methoxy-m-phenylenediamine (2,4-Diaminoanisole)	615-05-4	19	2,4,5-Trimethylaniline	137-17-7
9	4,4'-Diaminodiphenylmethane (4,4'-Methylenedianiline)	101-77-9	20	o-Anisidine	90-04-0
10	3,3'-Dichlorobenzidine	91-94-1	21	2,4-Xylidine	95-68-1
11	3,3'-Dimethoxybenzidine (o-Dianisidine)	119-90-4	22	2,6-Xylidine	87-62-7

ORGANOTIN COMPOUNDS:

No.	Name	CAS-No.	No.	Name	
1	Diocetyltn (DOT)	Various	-	-	-

List of Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs), including all isomers:

No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	Nonylphenol (NP)	104-40-5	2	Nonylphenol ethoxylated (NPEO)	68412-54-4

LIST OF FLAME RETARDANTS:

No.	Name of Analytes	CAS-No.	No.	Name of Analytes	CAS-No.
1	2,2',3,4,4',5,5',6- Octabromodiphenyl ether	32536-52-0	8	Tris-(Aziridinyl) Phosphate (TEPA)	545-55-1
2	4-Bromobiphenyl	92-66-0	9	Tris (2,3-Dibromopropyl) Phosphate (TRIS)	126-72-7
3	4,4'-Dibromobiphenyl	92-86-4	10	2,2',4,4',5,5'-Hexabromobiphenyl	59080-40-9
4	2,4,5-Tribromobiphenyl	59080-36-3	11	2,3,3',4,4',5,5'- Heptabromobiphenyl	67733-52-2
5	2,2',4',5-Tetrabromobiphenyl	60044-24-8	12	Octabromobiphenyl	27858-07-7
6	2,2',4,5',6-Pentabromobiphenyl	59080-39-6	13	Nonabromobiphenyl	69278-62-2
7	Decabromobiphenyl	13654-09-6	-	-	-

-END OF REPORT-